



**GENERAL  
DEVICES**  
Electronic Hardware  
Manufacturers

**317-897-7000**

[sales@generaldevices.com](mailto:sales@generaldevices.com)

[www.generaldevices.com](http://www.generaldevices.com)




**BOTTOM MOUNT  
SLIDES**

# SLIDE SELECTION GUIDE

*Choose from the most complete  
selection of standard and  
custom slides available from  
one single source.*

**CHASSIS TRAK®**  
Telescopic Slides

**BALL BEARING  
SLIDES**



**SOLID/ROLLER  
BEARING SLIDES**





# Ball Bearing Slides

## CLB




The CLB has a front quick disconnect feature and locks out at full extension. Design modifications can be made to exact customer specifications.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
CLB-203 3/4 extension w/quick disconnect /10" - 30"	50 to 145 lbs.
CLB-223 Heavy duty 3/4 extension w/quick disconnect /10" - 30"	160 to 250 lbs.
CLB-305 Full extension w/Green Button release mechanism and .38 sliding thickness / 10" to 30"	75 to 140 lbs.
CLB-307 Full extension w/Green Button release mechanism and .64 sliding thickness /10" to 30"	75 to 175 lbs.
CLB-315 Full extension w/Green Button release mechanism and .45 sliding thickness / 14" to 30"	75 to 170 lbs.



## LBS



Designed for horizontal extension only and does not disconnect. Lock-out feature is optional. Design modifications are available to meet customer application requirements.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
LBS-11 3/4 extension / 10" -30"	50 to 145 lbs.
LBS-12 Full extension / 10" - 30"	75 to 180 lbs.
LBS-O Over-and-under full extension / 10" to 30"	75 to 180 lbs.
LBS-21 Heavy duty 3/4 extension / 10" to 30"	160 to 250 lbs.
LBS-22 Heavy duty full extension / 10" to 30"	360 to 605 lbs.
LBS-32 Extra heavy duty full extension / 10" to 30"	510 to 930 lbs.



# Bottom Mount Slides

## B-200/300



Designed for tension or compression loading. Slide locks in the extended position. Slides are identical, except the B-300 has automatic release from the extended position.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
B-200/B-300 / 10" to 30"	90 to 150 lbs.



## C-7000



Linear bearing standard slide has positive stops but does not lock at any position. Optional lock-out feature is readily available.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
C-7000 / 10" to 30"	75 to 180 lbs.



## C-938



Designed for compression loading only. Optional lock-in lock-out feature is available.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
C-938 Roller bearing bottom mount slide / 12" to 48"	85 to 400 lbs.



## D-1050/1054



Extra heavy duty slide on solid rollers for vertical alignment and ball bearings for horizontal thrust. Slides are identical, except the D-1054 locks at the fully closed position and at the fully extended position.

SLIDE MODEL / LENGTHS AVAILABLE	LOAD CAPACITY
D-1050/1054 / 18" to 48"	475 to 1270 lbs.



